

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/529,448	04/12/2000	KIMMO SAVOLAINEN	747-009336-U	6549
7:	590 04/07/2004		EXAMINER	
CLARENCE A GREEN			SHARMA, SUJATHA R	
PERMAN & G	REEN			
425 POST ROA	AD		ART UNIT PAPER NUMBER	
FAIRFIELD, O	CT 06430		DATE MAILED: 04/07/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

A 154			
	Application No.	Applicant(s)	
Advisory Action	09/529,448	SAVOLAINEN, KIMMO	
	Examiner	Art Unit	
	Sujatha Sharma	2684	
The MAILING DATE of this communication app	pears on the cover sheet with the c	orrespondence add	ress
THE REPLY FILED 29 March 2004 FAILS TO PLACE. Therefore, further action by the applicant is required to a final rejection under 37 CFR 1.113 may only be either: (condition for allowance; (2) a timely filed Notice of Appe Examination (RCE) in compliance with 37 CFR 1.114.	avoid abandonment of this applica 1) a timely filed amendment which	ation. A proper reply n places the applica	y to a ition in
PERIOD FOR R	EPLY [check either a) or b)]		
a) The period for reply expiresmonths from the mail	•		
b) The period for reply expires on: (1) the mailing date of this no event, however, will the statutory period for reply expire ONLY CHECK THIS BOX WHEN THE FIRST REPLY WA 706.07(f).	e later than SIX MONTHS from the mailing	g date of the final rejection	on.
Extensions of time may be obtained under 37 CFR 1.136(a). The fee have been filed is the date for purposes of determining the period fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of (2) as set forth in (b) above, if checked. Any reply received by the Of timely filed, may reduce any earned patent term adjustment. See 37	of extension and the corresponding amo f the shortened statutory period for reply fice later than three months after the mail	unt of the fee. The approriginally set in the final	opriate extension Office action; or
1. A Notice of Appeal was filed on Appellant 37 CFR 1.192(a), or any extension thereof (37 CF			
2. The proposed amendment(s) will not be entered by	pecause:	·	
(a) X they raise new issues that would require furth	ner consideration and/or search (s	see NOTE below);	
(b) they raise the issue of new matter (see Note	below);		
(c) ☐ they are not deemed to place the application issues for appeal; and/or	in better form for appeal by mate	rially reducing or sin	nplifying the
(d) they present additional claims without cance	ling a corresponding number of fi	nally rejected claims	S.
NOTE: See Continuation Sheet.			
3. Applicant's reply has overcome the following reject	ction(s):		
4. Newly proposed or amended claim(s) would canceling the non-allowable claim(s).	d be allowable if submitted in a se	parate, timely filed	amendment
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☐ request for application in condition for allowance because:		dered but does NO	T place the
6. The affidavit or exhibit will NOT be considered be raised by the Examiner in the final rejection.	cause it is not directed SOLELY to	o issues which were	e newly
7. For purposes of Appeal, the proposed amendmen explanation of how the new or amended claims w			and an
The status of the claim(s) is (or will be) as follows:			
Claim(s) allowed:			
Claim(s) objected to:			
Claim(s) rejected:			
Claim(s) withdrawn from consideration:			
8. The drawing correction filed on is a) app	proved or b) disapproved by the	ne Examiner.	

U.S. Patent and Trademark Office PTOL-303 (Rev. 11-03)

10. Other: ____

9. Note the attached Information Disclosure Statement(s)(PTO-1449) Paper No(s). _____.

Continuation of 2. NOTE: The newly added limitation where the location of the terminal is determined using the global positioning system requires further consideration and/or search.

Sujatha Sharma 703-305-5298 4/2/04

SUPERVISORY PATENT EXAMINER